


Creating basic websites

Anatomy of a Quarto website




































Page Structure

```
index.qmd
   title: "My Cool Document"
   format: html
   The `gapminder.csv` dataset contair
   ```{r}
 #| label: fig-neat-plot
 library(tidyverse)
 library(brand.yml)
12
 df <- read_csv("data/gapminder.csv")</pre>
14
 brand <- read_brand_yml("_brand.yml</pre>
16
 ggplot(df, aes(x = gdpPercap, y =
 geom point(aes(size = pop, color)
18
```

Webpages are like any other Quarto document:

- 1. Start with a YAML header
- 2. Can include code cells
- 3. Everything else is markdown content

#### **Website Structure**

A minimal website has two files: index.qmd and \_quarto.yml

- index.qmd: Renders to index.html, your home page.
- \_quarto.yml: Controls project and website properties.

When rendered you will get a \_site/ folder. This contains everything needed to serve the site.

#### \_quarto.yml

```
_quarto.yml
1 project:
 type: website
4 website:
 title: "My site"
 navbar:
7 left:
 - href: index.qmd
 text: Home
10
 format:
 html:
12
 toc: true
13
```

#### Quarto projects

Websites are **Quarto projects**.

All Quarto projects include a \_quarto.yml file.

This is a Quarto Project.

This is not.

```
my-folder/
—— _quarto.yml
—— my-document.qmd
```

```
my-folder/
└── my-document.qmd
```

#### Quarto projects

A Quarto project is a *directory* that provides:

- A way to render all or some of the files in a directory with a single command (e.g. quarto render myproject).
- A way to share YAML configuration across multiple documents.

#### Quarto projects

Not all Quarto projects are websites (though they're typically website-like).


```
Terminal


> quarto create project
? Type
default
> website
blog
manuscript
book
confluence
```

#### Creating a project skeleton

RStudio Positron/VS Code Terminal


File > New Project > New Directory > Quarto Website





#### Creating a project skeleton


```
my-site/
├─ _quarto.yml
├─ about.qmd
├─ index.qmd
├─ styles.css
└─ testing.Rproj ← if made with RStudio
```





#### Your turn

- 1. Create a new website project somewhere on your computer.
  - We'll use this as a playground throughout the course.
- 2. Open the project in RStudio and explore what the different files look like.

# Workflow







#### Preview


**RStudio** 

Positron / VS Code Terminal

#### **Current page**







#### Whole site

**Build > Render Website** 

Render Website

#### Your turn

- 1. Open your playground website.
- 2. Open index.qmd and click Render/Preview.
- 3. Edit the title entry in index.qmd's YAML metadata to something different and add a subtitle entry.

  Preview.
- 4. Add some text to index. qmd. Preview.
- 5. Add an R code chunk to about .qmd. Preview.

#### \_quarto.yml

#### \_quarto.yml

Configure all site-level settings with \_quarto.yml:

```
_quarto.yml
 1 project:
 type: website
 4 website:
 title: "My site"
 navbar:
 left:
 - href: index.qmd
 text: Home
10
 format:
12
 html:
13
 toc: true
```

#### **Project settings**


```
_quarto.yml

1 project:
2 type: website
3 output-dir: _output
4 preview:
5 port: 5555
```

#### **Project settings**

```
_quarto.yml

1 project:
2 type: website
3 output-dir: _output
4 preview:
5 port: 5555
```



#### Site settings

```
_quarto.yml
 1 project:
 type: website
 4 website:
 title: "My site"
 description: "Some neat stuff"
 cookie-consent: true
 8 search: false
 navbar:
 left:
10
 - href: index.qmd
11
12
 text: Home
13
14 format:
15
 html:
16
 toc: true
```

#### **Navigation settings**


More on this in a bit!

```
_quarto.yml
 1 project:
 type: website
 4 website:
 title: "My site"
 navbar:
 left:
 - href: index.qmd
 text: Home
 sidebar:
10
 style: "docked"
11
12
 contents:
13
 about.qmd
14
 format:
16
 html:
17
 toc: true
```

#### Format settings

```
_quarto.yml
 1 project:
 type: website
 4 website:
 title: "My site"
 navbar:
 left:
 - href: index.qmd
 text: Home
10
11
 format:
12
 html:
 toc: true
13
14
 number-sections: true
15
 cap-location: margin
```

#### Don't memorize this stuff!



**Quarto.org > Reference > Websites** 

#### Your turn

- 1. Edit your \_quarto.yml to make the following changes:
  - Change the preview port to 5555
  - Enable a cookie consent dialog
  - Add a site description
- 2. Bonus tasks!
  - Add a footer that says "© 2025, Myself"
  - Add an announcement bar that says something


#### Advice:

- Don't try to make all these changes at once! Remember the workflow: edit, save, preview, repeat.
- Use the documentation at Quarto.org > Reference > Websites 07:00

#### Answer

```
_quarto.yml
 1 project:
 type: website
 preview:
 port: 5555
 6 website:
 title: "My site"
 description: "Something"
 cookie-consent: true
 page-footer: "© 2025, Myself"
10
11
 announcement:
 content: "**Fun!** This is my playground site."
12
13
 navbar:
 left:
14
15
 - href: index.qmd
16
 text: Home
```


#### Answer



#### Navigation


#### Top navigation

```
_quarto.yml
 1 project:
 type: website
 website:
 title: "My site"
 navbar:
 left:
 - href: index.qmd
 text: Home
10
 format:
 html:
12
13
 toc: true
```



#### Add new page

```
_quarto.yml
 1 project:
 type: website
 website:
 title: "My site"
 navbar:
 left:
 - href: index.qmd
 text: Home
 about.qmd
10
11
12 format:
13
 html:
14
 toc: true
```



## **Entry titles**

```
_quarto.yml


1 website:
2 navbar:
3 left:
4 - href: index.qmd
5 text: Home
6 - about.qmd
```

- Use href + text to control the link title
- Use the .qmd filename to use that page's title as the link title

#### **Icons**

```
_quarto.yml


1 website:
2 navbar:
3 left:
4 - href: index.qmd
5 text: Home
6 - about.qmd
7 - href: https://www.g
icon: github
```




icons.getbootstrap.com

## **Dropdowns**

```
_quarto.yml
 1 website:
 navbar:
 left:
 - href: index.qmd
 text: Home
 about.qmd
 - href: https://www.github.cd
 icon: github
 - icon: share
10
 menu:
11
 - href: https://bsky.app/
 icon: bluesky
12
 text: Bluesky
13
 - href: https://www.linke
14
15
 icon: linkedin
 text: LinkedIn
16
```



## Don't memorize this stuff!



**Quarto.org > Guide > Websites > Website Navigation** 

#### Your turn

- 1. Create a new file named contact.qmd and paste the content from about.qmd into it. Then change it to something else.
- 2. Add contact.qmd to the left section of your top navigation bar.
- 3. Add a right section to the navigation bar with icon-based links to a few other websites.
- 4. Bonus task! Create a dropdown menu in the top navigation bar, either with links to other websites or links to some new .qmd pages that you create.


#### Advice:

- Don't try to make all these changes at once! Remember the workflow: edit, save, preview, repeat.
- Use the documentation at Quarto.org > Guide > Websites > Website
   Navigation

#### Answer

```
_quarto.yml
 1 website:
 navbar:
 left:
 - href: index.qmd
 text: Home
 about.qmd
 contact.qmd
 right:
 - href: https://www.github.com
 icon: github
10
 - icon: share
11
 text: Share!
12
13
 menu:
 - href: https://bsky.app/
14
 icon: bluesky
15
 text: Bluesky
16
 - href: https://www.linkedin.com/
17
 icon: linkedin
18
```


## Answer



## Side navigation

```
_quarto.yml


1 website:
2 sidebar:
3 contents:
4 - href: index.qmd
5 text: Home
6 - about.qmd
7 - contact.qmd
```



## Side navigation and sections


```
_quarto.yml

1 website:
2 sidebar:
3 contents:
4 - href: index.qmd
5 text: Home
6 - section: About me
7 contents:
8 - about.qmd
9 - contact.qmd
```



## Side navigation and other settings

```
_quarto.yml
 1 website:
 sidebar:
 style: "docked" # Defa
 background: "#dddddd"
 logo: img/logo.png
 contents:
 - href: index.qmd
 text: Home
 - section: About me
10
 contents:
11
 about.qmd
 contact.qmd
12
```



#### **Automatic sidebar**

```
_quarto.yml


1 website:
2 sidebar:
3 contents:
4 - href: index.qmd
5 text: Home
6 - section: Research
7 contents: research/*
```

## **Hybrid navigation**

Have a different sidebar for different sections!

```
_quarto.yml
 1 website:
 navbar:
 left:
 - href: index.qmd
 text: Home
 about.qmd
 - text: "Research"
 href: research/index.qmd
 sidebar:
 - title: "Research"
10
11
 contents:
12
 - research/index.qmd
 research/project1.qmd
13
 - research/project2.qmd
14
 - research/project3.qmd
15
```

## Don't memorize this stuff!



**Quarto.org > Guide > Websites > Website Navigation** 

#### Your turn

- 1. Create a folder named research and create these files in there: index.qmd, project1.qmd, project2.qmd, and project3.qmd
- 2. Add an entry for research. qmd in your top navigation bar
- 3. Make a sidebar that only appears on the research page that contains links to index.qmd, project1.qmd, project2.qmd, and project3.qmd


#### Advice:

- Don't try to make all these changes at once! Remember the workflow: edit, save, preview, repeat.
- Use the documentation at Quarto.org > Guide > Websites > Website
   Navigation

#### Answer

```
_quarto.yml
 1 # Excerpt!
 website:
 navbar:
 left:
 - href: index.qmd
 text: Home
 - text: "Research"
 href: research/index.qmd
10
 sidebar:
 - title: "Research"
11
12
 contents:
 research/index.qmd
13
 research/project1.qmd
14
 - research/project2.qmd
15
 - research/project3.qmd
16
```

## Answer



# Special pages

## YAML-based page settings

Some page types are based on special templates that use information from the YAML metadata.

Two main built-in special page types:

- Listing pages
- About pages


(you can make your own special templates too!)

# Listing pages

More about these in the advanced section!


```
research.qmd

1 ---
2 title: "Research"
3 listing:
4 contents: "*.qmd"
5 type: table
6 ---
```




## **About pages**

```
about.qmd
 title: "Ada Lovelace"
 about:
 template: solana
 image: img/ada-lovelace.j
 links:
 - icon: wikipedia
 text: Wikipedia
 href: https://en.wiki
 toc: false
12
 ## Background
14
 Augusta Ada King, Countess
```



### Don't memorize this stuff!



**Quarto.org > Guide > Websites > About Pages** 

#### Your turn

- 1. Create a basic About page for either yourself or some fictional person.
  - Find an image on your computer or from the internet and add it to your project, either in the root of project, or (better!) in a folder just for images, like img/
  - Add links to different websites (with icons!)
  - Try different template options
  - Try different image-shape options

#### Advice:

- Don't try to make all these changes at once! Remember the workflow: edit, save, preview, repeat.
- Use the documentation at Quarto.org > Guide > Websites > About Pages 0.7:00

# What's next?

#### Course outline

- Intro to Quarto
- Creating basic websites
- Advanced website features
- Publishing
- Customization and branding
- Interactivity

